



**DURALLOY®
WEARMASTER**

DURALLOY® WEARMASTER

Unmatched Wear Resistance

The Duralloy Wearmaster Tungsten Feeder enables the production of overlay hardfacing weld deposits virtually impervious to abrasion and impact. It is a user friendly and easily installed machine which can be coupled up to any MIG welder.

The Wearmaster will dispense all grades of Tungsten Chip and features very precision variable flow adjustment.

FEATURES:

- Heavy duty steel construction
- Simple to use controller with precision flow adjustment
- Foot pedal controlled start/stop
- Consistent flow feed
- Plug and play system ready to use
- Replaceable weld nozzle

www.duralloy.net.au

SILICONE HOSE

Flexible heat resistant dropper hose

CONTROL MODULE

User Friendly, remote control box

FOOT PEDAL

User friendly foot pedal allowing precision operation

FEEDER ASSEMBLY

Feeder module fully housed in robust steel body

ADAPTOR NOZZLE

Formed MIG Gun holder with replaceable nozzle



WEARMASTER SPECIFICATIONS

Package Size	400mm x 400mm x 320mm (LWH)
Weight	20 Kg
Power Input Requirements	1 phase 50 / 60 Hz 110 - 240v



CALL NOW
1300 369 456

Duralloy Industrial Supply
2 Hollylea Rd,
Leumeah, NSW, 2560

P: 1300 369 456
E: sales@duralloy.net.au

www.duralloy.net.au